ELECTROMED INSTRUMENTS PVT LTD

EMI

WE SHAPE THE METAL TO SERVE HUMANITY



ELECTROMED INSTRUMENTS (PVT) LTD.

MADE BY PROFESSIONAL'S FOR PROFESSIONAL'S

WELCOME TO
ELECTROMED INSTRUMENTS (PVT) LTD.

MISSION STATEMENT:

Our Company E**LECTROMED INSTRUMENTS** Is striving and will be to develop a selected range of "**ELECTROSURGERY**" and "**GENERAL SURGICAL**" instruments from time to time keeping in view the new development and procedures in the medical world. New developments in surgical and General Surgical instrumentation introduced that will distinguish "**ELECTROMED INSTRUMENTS**" as a one-step forward company in Pakistan.

Our management will concentrate on manufacturing instruments in-house with the latest technology. **ELECTROMED INSTRUMENTS** will be introduced as a world-class brand under the international distributor's network.

Quality management system together with international certifications will be updated as and when necessary. Quality assurance at all manufacturing steps will be the key to claiming our product reliability to consider "**ELECTROMED INSTRUMENTS**" as one of the best suppliers.

Our workers satisfaction at all management levels will be monitored under internal management system to enhance the productivity and skill level.

ELECTROMED INSTRUMENTS will achieve annual growth in manufacturing volumes and exports by setting up realistic targets. We pray for the prosperity and excellence of our management, workers and business tasks.

QUALITY POLICY:

Our Company believes in using "**TECHNOLOGY**" to produce instruments with "**PRECISION**" for the "**SATISFACTION**" of Doctors and Patients. Our products will be cost-effective with efficient delivery as desired by the Customers. After-sale Service and intelligent stock management will be monitored for continuous satisfaction.

TIME SAVING OPEN SURGERY:

Electro Surgical Instruments help Doctors to save time in open surgery with the best performance results. The Doctors are supported in a way that they perform to the best of their skills by using the latest techniques with our instruments.

ONE STEP COAGULATION AND PROCEDURES:

Electro Surgical Instruments reduce the usage of a number of instruments in surgery procedures. **ELECTROMED INSTRUMENTS** has brought prosperity in the medical field that Doctors can't resist using our instrumentation.

PRIORITZING PATIENT SAFETY:

The Bipolar instruments of Our Company intelligently control the current flow and reduce lateral spread wear-resistant ceramic inlay in a way that electrical cross circuits never confuse. Patient safety is our priority.

SURGEON'S COMFORT AND SATISFACTION:

Our Company has designed patterns that are acceptable to any doctor in any part of the world. Our designs bring a better grip and feel to the doctors and enhance their skill level which ultimately leads to their satisfaction. We offer ready-to-use products.

COST EFFECTIVNESS AND RELIBILTY:

Our goal is to continuously offer cost-effective products together with enhanced reliability all the times. Our materials and workmanship are of world-class standards. International brands and Doctors prefer to depend on **ELECTROMED INSTRUMENTS** over any other brand.



AMERICAN 2 PIN CONNECTOR



AMERICAN 2 PIN CONNECTOR



EUROPEAN FLAT PLUG



EUROPEAN FLAT PLUG



EMI-120

50x
1x
Biopolar
550



EMI-130

50x
1x
Biopolar
550



EMI-140

50x
1x
Biopolar
550



EMI-150

50x
1x
Biopolar
550



EMI-160

50x
1x
Biopolar
550



EMI-170

50x
1x
Biopolar
550



EMI-171

50x
1x
Biopolar
550



EMI-200

50x
1x
Biopolar
550



EMI-210

50x
1x
Biopolar
550



EMI-240

50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
American Bipolar Forceps Coaptation	0.3, 0.5	6, 8, 9, 10	11 CM	EMI-120
American Bipolar Forceps Iris (Straight)	0.3, 0.5	6, 8, 9, 10	11 CM	EMI- 130
American Bipolar Forcep Iris (Cruved)	0.3, 0.5	6, 8, 9, 10	11 CM	EMI-140
American Bipolar Forceps Coaptation Nadler	0.3, 0.5	6, 8, 9, 10	12.5 CM	EMI-150
American Bipolar Forceps Mcpherson (Cruved)	0.3, 0.5	6, 8, 9, 10	10.5 CM	EMI-160
American Bipolar Forceps Mcpherson (Straight)	0.3, 0.5	6, 8, 9, 10	10.5 CM	EMI-170
American Bipolar Forceps Jeweller #7	0.3, 0.5	6, 8, 9, 10	13 CM	EMI-171
American Bipolar Forceps Jeweller # 5	0.3, 0.5	6, 8, 9, 10	11.5 CM	EMI-200
American Bipolar Forceps Jewellers #4	0.3, 0.5	6, 8, 9, 10	11.5 CM	EMI-210
American Bipolar Forceps Adson	0.3, 0.5, 1.0, 1.5	6, 8, 9, 10	12.5 CM	EMI-240

Product Features:

Smooth surface, conductive and accurate coagulation can reduce the generation of eschar.
More Safety for high quality of insulated layer.
Different shape and size of forceps are suitable for various surgery.
Available in reusabe and disposable type. Reusable forceps can withstand high pressure and steam sterilization.

Steam: Steam autoclave at 250°F / 121°C for 20 Minutes.

Flash: Steam autoclave at 275°F / 134°C for 10 Minutes.

Gas (ETO): Follow the manufacturer's guide for the unit which you are using.



EMI-250
50x
1x
Biopolar
550



EMI-260
50x
1x
Biopolar
550



EMI-270
50x
1x
Biopolar
550



EMI-280
50x
1x
Biopolar
550



EMI-290
50x
1x
Biopolar
550



EMI-300
50x
1x
Biopolar
550



EMI-340
50x
1x
Biopolar
550



EMI-360
50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
American Bipolar Forceps Semkins	0.5, 1.0, 1.5	6, 8, 9, 10	14 CM	EMI-250
American Bipolar Forceps Cushing (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-260
American Bipolar Forceps Gerld	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-270
American Bipolar Forceps Gerld (Curved)	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-280
American Bipolar Forcep Gerald Bayonet	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-290
American Bipolar Forceps YasarGil Bayonet	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-300
American Bipolar Forceps Jansen Bayonet	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-340
American Bipolar Forcep Scoville Greenwood	0.5, 1.0, 1.5	6, 8, 9, 10	19.5 CM	EMI-360



EMI-241-G.L.E.B.C
50x
1x
Biopolar
550



EMI-242-G.L.E.B.C
50x
1x
Biopolar
550



EMI-261-G.L.E.B.C
50x
1x
Biopolar
550



EMI-271-B.N.C
50x
1x
Biopolar
550



EMI-281-B.N.C
50x
1x
Biopolar
550



EMI-302-B.C
50x
1x
Biopolar
550



EMI-367
50x
1x
Biopolar
550



EMI-443-B.C
50x
1x
Biopolar
550



EMI-860-B.C
50x
1x
Biopolar
550



EMI-950-TW.B.C
50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
American Bipolar Forceps (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	12 CM	EMI-241-G.L.E.B.C
American Bipolar Forceps (Curved)	0.5, 1.0, 1.5	6, 8, 9, 10	12 CM	EMI-242-G.L.E.B.C
American Bipolar Forceps (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-261-G.L.E.B.C
American Bipolar Forceps Gerld (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-271-B.N.C
American Bipolar Forceps Gerld (Curved)	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-281-B.N.C
American Bipolar Forceps Yasir Gill	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-302-B.C
TW American Bayonet Bipolar Forceps	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-367
American Adson Bipolar Forceps Non-Stick	0.5, 1.0, 1.5	6, 8, 9, 10	12.5 CM	EMI-443-B.C
European Bipolar Forceps (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-860-B.C
TW European Bayonet Forceps	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-950-TW.B.C



EMI-510
50x
1x
Biopolar
550



EMI-535
50x
1x
Biopolar
550



EMI-531
50x
1x
Biopolar
550



EMI-471
50x
1x
Biopolar
550



EMI-500
50x
1x
Biopolar
550



EMI-550
50x
1x
Biopolar
550



EMI-570
50x
1x
Biopolar
550



EMI-582
50x
1x
Biopolar
550



EMI-345
50x
1x
Biopolar
550



EMI-595
50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
American Bipolar Forceps Mcpherson (Straight)	0.3, 0.5, 1.0	6, 8, 9, 10	10.5 CM	EMI-510
American Bipolar Forcep Jeweller #5 Non Stick	0.3, 0.5, 1.0	6, 8, 9, 10	11.5 CM	EMI-535
American Bipolar Forcep Jeweller #5 Non Stick (Curved)	0.3, 0.5, 1.0	6, 8, 9, 10	11 CM	EMI-531
American Bipolar forceps Adson Two Pin Connector Non-Stick	0.3, 0.5, 1.0	6, 8, 9, 10	12 CM	EMI-471
American Bipolar Forcep Cushing Non Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	18 CM	EMI-500
American Bipolar Forceps Bayonet YasarGil Non-Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-550
American Bipolar Forcep Gerald Non Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	18.5 CM	EMI-570
American Bipolar Forceps Jenson Bayonet Non Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-582
American Bipolar Forceps New Bayonet	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	16.5 CM	EMI-345
A.C. American Boyonet Bipolar Forceps Three Holes Non-Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	24 CM	EMI-595



EMI-793
50x
1x
Biopolar
550



EMI-794
50x
1x
Biopolar
550



EMI-795
50x
1x
Biopolar
550



EMI-796
50x
1x
Biopolar
550



EMI-797
50x
1x
Biopolar
550



EMI-510-S.C
50x
1x
Biopolar
550



EMI-531-S.C.O
50x
1x
Biopolar
550



EMI-472-S.C
50x
1x
Biopolar
550



EMI-503-S.C.O
50x
1x
Biopolar
550



EMI-1105-N.R
50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
European L.C Jeweller #5 Bipolar Forceps	0.3, 0.5, 1.0	6, 8, 9, 10	12 CM	EMI-793
European L.C Jeweller #5 Bipolar Forceps (Curved)	0.3, 0.5, 1.0	6, 8, 9, 10	12 CM	EMI-794
European L.C with 3 Holes Bipolar Forcep (Straight)	0.3, 0.5, 1.0	6, 8, 9, 10	16 CM	EMI-795
European L.C Bayonet with 3 Holes Bipolar Forcep	0.5, 1.0, 1.5	6, 8, 9, 10	16 CM	EMI-796
European L.C Bayonet with 3 Holes Bipolar Forcep	0.5, 1.0, 1.5	6, 8, 9, 10	19.5 CM	EMI-797
American Bipolar Forceps Mcpherson Non-Stick (Straight)	0.3, 0.5, 1.0	6, 8, 9, 10	10.5 CM	EMI-510-S.C
American Bipolar Forcep Jeweller #5 Non-Stick (Straight)	0.3, 0.5, 1.0	6, 8, 9, 10	11.5 CM	EMI-531-S.C.O
American Adson Bipolar Forceps with Five Holes Non-Stick	0.5, 1.0, 1.5	6, 8, 9, 10	12 CM	EMI-472-S.C
European Bipolar Forcep Non-Stick (Straight)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-1105-N.R



EMI-790
50x
1x
Biopolar
550



EMI-740
50x
1x
Biopolar
550



EMI-750
50x
1x
Biopolar
550



EMI-770
50x
1x
Biopolar
550



EMI-760
50x
1x
Biopolar
550



EMI-840
50x
1x
Biopolar
550



EMI-830
50x
1x
Biopolar
550



EMI-872-N
50x
1x
Biopolar
550



EMI-975-S.S
50x
1x
Biopolar
550



EMI-976
50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
European Bipolar Forcep Jeweller #5	0.3, 0.5, 1.0	6, 8, 9, 10	11.5 CM	EMI-790
European Bipolar Forceps Jewelery #5 (Curved)	0.3, 0.5, 1.0	6, 8, 9, 10	11.5 CM	EMI-740
European Bipolar Forcep Jeweller #7	0.3, 0.5, 1.0	6, 8, 9, 10	11 CM	EMI-750
European Bipolar Forcep Mcpherson	0.3, 0.5, 1.0	6, 8, 9, 10	10 CM	EMI-770
European Bipolar Forcep Adson	0.3, 0.5, 1.0	6, 8, 9, 10	12 CM	EMI-760
European Bipolar Forceps (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	15 CM	EMI-840
European Bipolar Forceps (Curved)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-830
European Bipolar Forcep (Straight)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-872-N
European Bipolar Forceps Bayonet	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-975-S.S
European Bipolar Forceps Bayonet (Curved)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-976

EUROPEAN NON-STICK BIPOLAR FORCEPS

NON-STICK Forceps

The newest NON-STICK Forceps extend the existing portfolio of NON-Stick forceps with a wide range of different lenghts and shapes of tatgeted and fine coagulation.

with proven NON-Stick technology based on using a special alloy in the tips, they guarantee excellent heat dissipation and reduce adhesion of tissue to a minimum.



EMI-1020
50x
1x
Biopolar
550



EMI-990
50x
1x
Biopolar
550



EMI-1105-N
50x
1x
Biopolar
550



EMI-1080
50x
1x
Biopolar
550



EMI-1101
50x
1x
Biopolar
550



EMI-1050
50x
1x
Biopolar
550



EMI-1051-N
50x
1x
Biopolar
550



EMI-1061-S.S
50x
1x
Biopolar
550

EMI-1062-S.S
50x
1x
Biopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
European Bipolar Forcep Jeweller # 5 Non Stick	0.3, 0.5, 1.0	6, 8, 9, 10	11.5 CM	EMI-1020
European Bipolar Forcep Adson Non Stick	0.3, 0.5, 1.0	6, 8, 9, 10	12 CM	EMI-990
European Bipolar Forcep Non-Stick (Straight)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-1105-N
European Bipolar Forcep Non-Stick (Straight)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	18 CM	EMI-1080
European Bipolar Forcep Non-Stick Straight (Curved)	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	21.5 CM	EMI-1101
European Bayonet Bipolar Forcep Non Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-1050
European Bipolar Forcep Bayonet Non Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-1051-N
European Bipolar Forceps Bayonet Non-Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-1061-S.S
European Bipolar Forceps Bayonet Angled Down Non-Stick	0.5, 1.0, 1.5, 2.0	6, 8, 9, 10	20 CM	EMI-1062-S.S

DOUBLE IRRIGATION BIPOLAR FORCEPS

EMI-693



EMI-694



EMI-692

Product Features:

1. Irrigation device lowers heat in the surgical site and avoids thermal tissue damage.
2. Continuous dripping moisturizes the tissue and minimizes the danger of dessication.
3. No adhesion and no eschar formation ensures clean and clear visualization in the surgical field.
4. Suitable for neurosurgery, plastic surgery, ENT, Vascular surgery and hepatobiliary surgery.
5. Also available in NON-STICK Tip.

Convert any regular Bipolar forceps into NON-STICK Irrigation bipolar forcep use “NS” extension for conversion available.

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
Double Irrigation Boynet with 3M Cable, With Drip Pipe	0.5, 0.7, 1.0	7, 8	19 CM	EMI-693
Double Irrigation Boynet with 3M Cable, With Drip Pipe	0.5, 0.7, 1.0	7, 8	23.5 CM	EMI-694
Double Irrigation (Straight) with 3M Cable, With Drip Pipe	0.5, 0.7, 1.0	7, 8	20 CM	EMI-692

SINGLE IRRIGATION BIPOLAR FORCEPS



EMI-651



EMI-671



EMI-691-B.C



EMI-600



EMI-1110



EMI-1120

MONOPOLAR FORCEPS





EMI-370

50x
1x
Monopolar
550





EMI-445

50x
1x
Monopolar
550

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
American Irrigation Bipolar Forceps Adson	0.5, 1.0, 1.5	6, 8, 9, 10	14 CM	EMI-651
American Caushing irrigation Bipolar Forceps	0.5, 1.0, 1.5	6, 8, 9, 10	16.5 CM	EMI-671
American Irrigation Bipolar Forceps Jenson Bayonet	0.5, 1.0, 1.5	6, 8, 9, 10	19 CM	EMI-691-B.C
American Irrigation Bipolar Forceps Jenson Bayonet Non-Stick	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-600
European Irrigation Bipolar Forcep (Straight)	0.5, 1.0, 1.5	6, 8, 9, 10	18 CM	EMI-1110
European irrigation Bipolar Forcep Bayonet	0.5, 1.0, 1.5	6, 8, 9, 10	20 CM	EMI-1120

MONOPOLAR FORCEPS

European Monopolar Female 4.0mm Connector	0.5, 1.0, 1.5	6, 8, 9, 10	21.5 CM	EMI-370
Jenson Boynet Angled Up Monopolar Forceps Screw Fitting	0.5, 1.0, 1.5	6, 8, 9, 10	21 CM	EMI-445

LAPAROSCOPIC ELECTRODS

ALSO AVAILABLE IN TAFLON COATED



WITHOUT SUCTION



REUSABLE	DISPOSABLE	
EMI-3110	EMI-3111	L-Hook Electrode (33, 36, 39 cm)
EMI-3112	EMI-3113	J-Hook Electrode (33, 36, 39 cm)
EMI-3114	EMI-3115	Needle Electrode (33, 36, 39 cm)
EMI-3116	EMI-3117	Spatula Electrode (33, 36, 39 cm)
EMI-3118	EMI-3119	Ball Electrode (33, 36, 39 cm)



WITH SUCTION



REUSABLE	DISPOSABLE	
EMI-3120	EMI-3121	L-Hook Electrode (33, 36, 39 cm)
EMI-3122	EMI-3123	J-Hook Electrode (33, 36, 39 cm)
EMI-3124	EMI-3125	Needle Electrode (33, 36, 39 cm)
EMI-3126	EMI-3127	Spatula Electrode (33, 36, 39 cm)
EMI-3128	EMI-3129	Ball Electrode (33, 36, 39 cm)



BIPOLAR ARTERY SEALER



EMI-4006



EMI-4007



EMI-4008



EMI-4009

DESCRIPTION	TIP WIDTH (MM)	TIP LENGTH (MM)	ITEM LENGHT (CM)	ITEM CODE
Reusable Non-Stick Tip Artery Sealer Black Color	4.0	40	22 CM	EMI-4006
Reusable Non-Stick Tip Artery Sealer Red Color	4.0	40	22 CM	EMI-4007
Reusable Non-Stick Tip Artery Sealer Purple Color	3.5	35	19 CM	EMI-4008
Reusable Polished Tip Artery Sealer Blue Color	3.5	35	19 CM	EMI-4009

All 2.4mm needle electrodes are also available with 4.0mm shaft. The article number is supplemented with “4” after the first two letters.

EMI-03234	Arthroscopic Blade Electrode Connector 2.4mm Length 7 cm D:2.5mmx7mm Black Molded Non Stick Coated
EMI-03236	Arthroscopic Blade Electrode Connector 2.4mm Length 7 cm D:2.5mmx17mm Non Stick Coated Black Insulated
EMI-152-510	4 mm Circle Loop Electrode 2.4 mm connecting shaft Black Molded
EMI-152-520	6 mm Circle Loop Electrode 2.4 mm Connecting shaft Black Molded
EMI-152-530	8 mm Circle Loop Electrode 2.4 mm connecting shaft Black Molded
EMI-152-540	6 mm Diamond Loop Electrode 2.4 mm connecting shaft Black Molded
EMI-152-550	Fine Needle Electrode Connector 2.4 mm Length 7cm D: 0.25mm x 15mm Black Molded
EMI-1767	3 mm Ball Electrode Black Molded Connector Shaft 2.4 mm Length 7 cm
EMI-03250	Schuco Knife Electrode 2.5mm x 18mm Connector Shaft 2.4mm Length = 70mm Black Molded
EMI-3238	Needle Electrode Connector 2.4 mm Length 7 cm Teflon Coated, D: 1.3mm x 25mm
EMI-3240	Arthroscopic Needle Electrodes 2.4mm connector Tungsten Tip D:0.8mm x 18mm Length 5.5cm
EMI-03224	Arthroscopic Electrodes 2.4mm connector / Tungsten tip Needle Electrode Straight 6 cm D:0.8mm x 15mm
EMI-3225	Arthroscopic Electrodes 2.4mm connector Needle Electrode Angled 7 cm
EMI-03241	Needle Electrode 2.4mm connector Length 5.5 cm D: 0.7mm x 17mm Blue Molded
EMI-03223	Arthroscopic Electrodes 2.4mm connector / Tungsten tip Needle Electrode Straight 11.5 cm D:0.8mm x 15mm
EMI-3239	Arthroscopic Needle Electrodes 2.4mm connector Length 13.5 cm D: 0.9mm x 13 mm Blue Molded
EMI-03243	Needle Electrode 2.4mm connector Angled Length 14 cm D: 0.8mm x 10mm Blue Molded
EMI-1741	3 mm Ball Electrode Length 13.5 cm Connector 2.4 mm
EMI-1763	5mm Ball Electrode molded Connector Shaft 2.4 mm Length 13.5 cm
EMI-1761	4mm Ball Electrode Non Stick Teflon Coated Connector Shaft 2.4 mm Length 13.5 cm
EMI-1762	5mm Ball Electrode Non Stick Teflon Coated Connector Shaft 2.4 mm Length 13.5 cm
EMI-03251	Loop Electrode D:10mm X 12mm Length 16cm 2.4mm connector , Black insulated
EMI-03242	Needle Electrode 2.4mm connector Black insulated Length 15 cm D: 0.8mm x 18 mm Tungsten tip Angled
EMI-3220	Arthroscopic Blade Electrodes Dagger Tip Non Stick Coated Length 18 cm D: 2.3mmx18mm



EMI-1783	Conisation Electrode 25mm width (B) 20mm Depth (A) , connector 2.4mm working Length =95mm Total Length 14 cm Blue Molded and Blue coated
EMI-1782	Conisation Electrode 25mm width (B) 15mm Depth (A) , connector 2.4mm working Length =95mm Total Length 14 cm Blue Molded and Blue coated
EMI-1781	Conisation Electrode 25mm width (B) 10mm Depth (A) , connector 2.4mm working Length =95mm Total Length 14 cm Blue Molded and Blue coated
EMI-03254	Round Loop electrode 5mm , connector 4mm Length 7 cm Blue Molded
EMI-03255	Round Loop electrode 10mm , connector 4mm Length 7 cm Blue Molded
EMI-4-1769	4mm Ball Electrode Blue Molded Connector Shaft 4 mm Length 5.5 cm
EMI-1769	Fine Needle Electrode Connector 2.4 mm Length 7cm D: 0.25mm x 15mm Black Molded
EMI-1770	6mm Ball Electrode Blue Molded Connector Shaft 4 mm Length 5.5 cm
EMI-03239	Arthroscopic Blade Electrode Connector 4mm Length 5.5 cm D:3.3mmx25mm Blue Molded
EMI-03247	knife Electrode connector 4 mm Length 5.5 cm D: 3.3mm x 25mm Blue Molded
EMI-03240	Arthroscopic Needle Electrodes 2.4mm connector Tungsten Tip D:0.8mm x 18mm Length 5.5cm
EMI-03245	knife Electrode connector 4 mm Length 14 cm D: 2.5mm x 12mm Blue Molded
EMI-03252	V-Shape Loop electrode 10mm x 12mm , connector 4mm Length 170mm Blue Molded and blue insulated
EMI-03253	V-Shape Loop electrode 15mm x 15mm , connector 4mm Length 170mm Blue Molded and blue insulated
EMI-1765	8mm Ball Electrode Molded Connector Shaft 4 mm Length 14 cm
EMI-3235	Needle Electrode Connector 4mm Length 15 cm D: 1.3mm x 20 mm Blue Molded
EMI-03244	knife Electrode Angled connector 4mm Length 16 cm D: 2.5mm x 12mm Blue Molded
EMI-03233	5mm Ball Electrode molded Connector Shaft 2.4 mm Length 13.5 cm

EMI-1511
Silicone Monopolar 3M Cable



EMI-1574
Foot control pencil reusable with detachable 3M cable for 2.4mm Monopolar electrode



EMI-1573
Foot control pencil reusable with detachable 3M cable for 4 mm Monopolar electrode

GYNECOLOGY INSTRUMENTS



GRAVES VAGINAL SPECULUM

ITEM CODE	SIZE	LENGTH	WIDTH
EMI-3300	LARGE	150MM	35MM
	MEDIUM	95MM	35MM
	SMALL	35MM	20MM



PEDERSON VAGINAL SPECULUM

ITEM CODE	SIZE	LENGTH	WIDTH
EMI-3390	LARGE	150MM	25MM
	MEDIUM	100MM	25MM
	SMALL	70MM	14MM



GRAVES VAGINAL SPECULUM FOR LASER SURGERY

ITEM CODE	SIZE	LENGTH	WIDTH
EMI-3300-B	LARGE	150MM	35MM
	MEDIUM	95MM	35MM
	SMALL	35MM	20MM



COLLIN VAGINAL SPECULUM

ITEM CODE	SIZE	LENGTH	WIDTH
EMI-3460	LARGE	110MM	40MM
	MEDIUM	100MM	35MM
	SMALL	95MM	30MM



CUSCO VAGINAL SPECULUM

ITEM CODE	SIZE	LENGTH	WIDTH
EMI-3491	LARGE	95MM	35MM
	MEDIUM	85MM	35MM
	SMALL	75MM	32MM



GRAVES VAGINAL SPECULUM

ITEM CODE	SIZE	LENGTH	WIDTH
EMI-3300-S	LARGE	150MM	35MM
	MEDIUM	95MM	35MM
	SMALL	35MM	20MM

SILICONE BIPOLAR CABLES







EMI-1451







EMI-1450







EMI-1452







EMI-1471







EMI-1470







EMI-1490

DESCRIPTION	ITEM CODE
Silicone bipolar cable 3M, Instrument connector US 2-Pin plug generator connector valleylab, conmed, codman, and most bipolar generator.	EMI-1451
Silicone bipolar cable 3M, Instrument connector US 2-Pin plug generator connector 4mm banana Plug valleylab, conmed, codman, and most bipolar generator.	EMI-1450
Silicone bipolar cable 3M, Instrument connector US 2-Pin plug generator connector erbe, compatibility erbe siemens.	EMI-1452
Silicone bipolar cable 3M, Instrument connector european flat plug generator connector valleylab, conmed, codman, and most bipolar generator.	EMI-1471
Silicone bipolar cable 3M, Instrument connector european flat plug generator connector 4mm banana Plug valleylab, conmed, codman, and most bipolar generator.	EMI-1470
Silicone bipolar cable 3M, Instrument connector european flat plug generator connector erbe, compatibility erbe siemens.	EMI-1490

REUSABLE SCISSORS



EMI-5001-A-B

Dressing Scissors Length 14.5 cm Blunt / Blunt



EMI-5002-AB

Dressing Scissors Length 14.5 cm Sharp / Sharp Straight



EMI-5003

Dressing Scissors Length 18 cm Sharp / Sharp Straight



EMI-5004

Dressing Scissors Length 18 cm Blunt / Sharp Straight



EMI-5008

Metzenbaum Scissors Length 20 cm Curved



EMI-5009

Goldman Fox Scissors Curved Length 13 cm



EMI-5010

Goldman Fox Scissors Straight Length 13 cm



EMI-5011

Bush Umbillical Scissors Length 16 cm



EMI-5013

Iris Real Screw Scissors Length 11.5 cm Curved



EMI-5014

Iris Real Screw Scissors Length 11.5 cm Straight



EMI-5017

Iris Real Screw Scissors Length 12 cm Curved



EMI-5018

Iris Real Screw Scissors Length 12 cm Straight



EMI-5019

Spencer Stitch Scissor Length 16 cm



EMI-5020

Mayo Scissors Straight Length 17 cm



EMI-5021

Mayo Scissors Curved Length 17 cm



EMI-5027

Kelly Straight Scissor Length 16 cm



EMI-5028

Kelly Curved Scissor Length 16 cm



EMI-5029

Sims Utraine Scissors Curved Length 20 cm

REUSABLE FORCEPS



EMI-5045

Kelly Rankin Straight 16cm



EMI-5046

Kelly Rankin Curved 16cm



EMI-5047

Allis tissue Straight (3x4 teeth) 15 cm



EMI-5048

Luer Vulsellum Straight (1x1 teeth) 25 cm



EMI-5050

Spongue Holding Curved 25 cm



EMI-5051

Backhaus Towel Clip Forcep 9 CM



EMI-5053

Mayo Hegar Forcep 14, 16, 18 CM



EMI-5058

Halstead Mosquito Fine Forcep Curved 13 CM



EMI-5060

Spencer Wells Forcep Straight 13, 15, 18, 20 CM



EMI-5061

Oschsner Kocher Forcep Curved 14, 16, 18 CM



EMI-5062

Rochester Pean Forcep Curved 16 CM



EMI-5063

Kocher Forcep Straight 14, 16,18 CM



EMI-5044

TC Iris Scissors Straight 12CM



EMI-5042

TC Dressing Scissors Curved, Sharp / Blunt, 14CM



EMI-5038

TC Metzenbaum Scissors Curved 18CM



EMI-5037

Halsey TC Forceps 13CM



EMI-5031

De bakey Forceps 16CM



EMI-5035

Kilner TC Forceps 18CM

European Certification Services

CERTIFICATE OF CONFORMITY

No. ECSMDD2024.955

This is to certify that the products submitted are:
Class 1 Medical Devices

Manufactured By:
Electromed Instruments (Pvt) Ltd

F 368/1 Mubarak Pura, Kashmir Chowk 51310 Sialkot Pakistan

According to annexure-V, Council Directive; Concerning Medical Devices 93/42/EEC as updated directive 2007/47/EC & marked with CE and Comply with the essential requirements of the council Directives; Concerning Medical Devices 93/42/EEC as updated Directive 2007/47 EC.

Products: Sterile & Non-Sterile Single Use Bipolar Forceps, With & Without Cables, Sterile & Non-Sterile Single, Use Bipolar Electrodes, Non-Sterile Reusable Bipolar, Forceps With & Without Cables Non-Sterile Reusable, Bipolar Electrodes, Piercing instruments, General Surgical, Veterinary and Laparoscopy Instruments

On Behalf of ECS:
Technical Manager:

CE

Certificate is Valid From /Till: 25/June/2024 to 24/June/2025

This certificate is the property of European Certification Services and remains valid subject to satisfactory annual surveillance audits.

IONTEX OÜ
Tõlviku tee 10, Maardu 74117
Email: info@eu-cert.eu
www.eu-cert.eu

CE CERTIFICATION

CERTIFICATE

No. 920195

This is to certify that the Quality Management System of the company

Electromed Instruments (Pvt) Ltd
F 368/1 Mubarak Pura, Kashmir Chowk
51310 Sialkot
Pakistan

has been assessed and found to be in compliance with the Standard

ISO 9001:2015

applicable to

Manufacturing and Export of Sterile & Non-Sterile Single Use Bipolar forceps with & without cables, sterile& Non -Sterile Single Use Bipolar Electrodes, Non-Sterile Reusable Bipolar Forceps with & without cables Non-Sterile Reusable Bipolar Electrodes, Piercing instruments, General Surgical and Laparoscopy Instruments.

The certificate has been issued under No. 920195 for the registration period from 25 June 2024 to 24 June 2027.
The first certificate date of issue is 25 June 2024.

Approved by

Printed by

IAF S 3137

validity code: E695F14B-EDE
Check the validity of this certificate using this code at www.ll-c.info

LL-C (Certification) Czech Republic a.s. | Pobřežní 620/3, 186 00 Praha 8

CE CERTIFICATION

CERTIFICATE

No. 920195

This is to certify that the Quality Management System for Medical Devices of the company

Electromed Instruments (Pvt) Ltd
F 368/1 Mubarak Pura, Kashmir Chowk
51310 Sialkot
Pakistan

has been assessed and found to be in compliance with the Standard

ISO 13485:2016

applicable to

Manufacturing and Export of Sterile & Non-Sterile Single Use Bipolar forceps with & without cables, sterile& Non -Sterile Single Use Bipolar Electrodes, Non-Sterile Reusable Bipolar Forceps with & without cables Non-Sterile Reusable Bipolar Electrodes, Piercing instruments, General Surgical and Laparoscopy Instruments.

The certificate has been issued under No. 920195 for the registration period from 25 June 2024 to 24 June 2027.
The first certificate date of issue is 25 June 2024.

Approved by

Printed by

IAF S 3137

validity code: 3223F170-239
Check the validity of this certificate using this code at www.ll-c.info

LL-C (Certification) Czech Republic a.s. | Pobřežní 620/3, 186 00 Praha 8

CE CERTIFICATION

ELECTROMED INSTRUMENTS (PVT) LTD.

ELECTROMED INSTRUMENTS (PVT) LTD.

HEAD OFFICE PAKISTAN:

+92 300 616 6061
+92 308 413 3335

+92 52 355 60 40

info@electromedsurgical.com
sales@electromedsurgical.com

+92 52 355 60 40

www.electromedsurgical.com

Mubarik Pura Road, Sialkot
(51310), Pakistan.

OFFICE AUSTRALIA:

+61421722813

2 Danehill place, Balga, Perth,
(6061) Western Australia.

CONTACT
QUICK SAVE